Blockchain Technology

A mechanism for revolutionizing multiple sectors, elicit accountability and eliminating errors

Since the blockchain database system provides security, trust, provenance, traceability and availability, the stakeholders of various business systems/ organizations can collaborate with each other. This technology has been initially experimented in the finance sector as in Bitcoin network, insurance payments and cross border payment networks.

Overview

A business involves transactions and information exchange among various stakeholders. Since most of the existing systems are centralized, there is greater risk to security, and this necessitates a secure and shareable system to help stakeholders interoperate efficiently. Blockchain is a distributed system where transaction records are bundled in blocks and linked with previous ones. Transaction data within a block is secure because it is encrypted and digitally signed. Bitcoin network is a peer to peer payment network, and it is an application of blockchain technology.

Blockchain Ecosystem

Blockchain is a decentralized distributed database (ledger) of immutable records accessed by various business applications over the network. Client applications of related businesses can read or append transaction records to the blockchain. Transaction records submitted to any node are validated and committed to the ledger database on all the nodes of blockchain network. Committed transactions are immutable because each block is linked with its previous block by means of hash and signature values. Protocols such as Gossip and Consensus ensure that the submitted transactions are transferred to all nodes and committed on all blockchain nodes consistently.

As shown in Figure 1, blockchain ecosystem consists of blockchain client, blockchain node, blockchain network, transaction processor and consensus process.

Blockchain client is an application that creates transaction message in a prescribed format and submits it to blockchain node through web API. It may be any existing application, which posts transaction message to blockchain node. Clients are restricted using Public Key Infrastructure (PKI) technology at blockchain node level.

Blockchain node is a server node that runs blockchain services responsible for receiving the transaction and transmits the transaction to other blockchain nodes. With respect to the design, the node participates in consensus process to commit the block of transaction data to ledger database.



Fig. 1: Blockchain ecosystem

Blockchain network is a network of linked nodes used for read, write transactions into ledger database. The topology (as shown in Figure 2) is based on the nodes participating in consensus process. Traditional systems are centralized where all data and decision-making is concentrated on a single node or cluster of nodes. In decentralized systems, the data and decision-making are spread out among a large number of nodes. These nodes maintain copies of the shared database and decide among themselves which data is to be committed to the database using consensus mechanism. Decentralized networks can be an interconnection of centralized or hub-and-spoke type networks. A distributed network is a special case of decentralized system where every single node in the network maintains the shared database and participates in consensus to determine which data is to be committed to the database.

Fig. 2: Blockchain network topology (Centralized, decentralized, distributed)

Blockchain Types: Public, Private and Consortium: In public blockchain, anyone can read and submit transaction, and take part in consensus process. Bitcoin and Ethereum are examples of public blockchain. Private blockchain is controlled by only a single body or an organization that controls who can read and

submit transaction, and take part in consensus process. Consortium blockchain operations are controlled by a selected set of participating organisations. Public blockchain is called permission less blockchain. Private and consortium blockchain are called permissioned blockchain.

Transaction Processor/ Chain Code/ Smart Contract is a process that runs at blockchain nodes for processing the transaction data and maintaining the status in ledger database. It is called by blockchain process when the transaction commit is started. During the process, it can call or execute other business process tasks transparently before committing the transaction.

Consensus is a procedure to select a leader node, which decides whether the block of transactions is to be committed or rejected. Earlier versions of blockchain system used Proof of Work (PoW) for consensus process. Every node or participatory node is given a mining task, and a node elected as leader completes the mining task first. Mining task is to find or calculate a certain pattern value of hash value by adding nonce to current hash. Node that participates in mining process requires heavy computing resources. Latest consensus protocol uses PoET, "Proof of Elapsed Time". Every node in the consensus process selects random time and keeps decreasing. The node that reaches zero first is selected as leader.

Transaction is a unit of business data within Block. **Block** is a set of transactions bundled with signatures and hash value of previous block. Genesis block is the first block of chain created during installation and configuration.

Merkle Tree is a tree data structure (as shown in Figure 3) in which leaf node holds hashes of every transaction and intermediate node holds hash calculated from immediate child nodes. In blockchain, a block consists of one or more transactions and its respective tree of hashes. In a distributed system, this tree is used to maintain data consistency among all participating nodes.

Ledger/ Chain Database is a key-value database for a chain of serialized blocks. One block may contain one or more transactions.

State Database is a key-value database for storing transaction state and links of its related transactions.

Criteria for adopting blockchain technology

Following are some of the questions to assess the need of blockchain technology for existing/ new applications.

Is there a need to remove intermediaries that add complexity?

In order to complete certain main business process some sort of sub process is required. For example for Loan sanction, the applicants KYC, and Income status needs to be verified. For recruitment process, employee verification including personal details, qualification details, experience details. Nowadays the above verifications are outsourced to third party agencies which is time consuming and costly.

Is non-repudiation i.e., the proof that someone submitted a transaction, needed?

After transporter delivers goods or food grains to Retail shop, a transaction about the delivery on block chain ensures that it has been delivered because it is accessible to supplier, and transporter ensures. Retailer cannot deny the delivery and delay the payment. Some places we need to proof the financial transaction for getting Income tax relief or other benefits.

Is tamper resistance needed?

System which ensures the transaction data can't be tampered. In traditional system the transaction data can be tampered whereas the same is in block chain, it is very difficult because of its immutable property.

Does data need to be shared across multiple entities?

In the business process, transaction data requires to be shared among various stake holders.

Do multiple entities need to modify the data?

Suppose a business needs to be accessed by different entities and modify. Need a complete trace of what has been modified and by whom.

	Hyperledger Sawtooth	Hyperledger Fabric	Ethereum	Quorum
Type based on availability to user	Private	Private	Public	Private
Sector focus	Any	Any	Any	Financial
Consensus	Proof of Elapsed Time	Proof of Stake	Proof of Work	Raft
Multi-tenancy	Using Family	Using Channels	Not Supported	Not Supported
Language support	Python, GO, Java, Nodejs, C++	Python, GO, Java, NodeJs	Solidity	Solidity
Throughput	~2000tps	~2000tps	~ 500tps	~ 100tps
Security	PKI based, Supports Access Control policies	PKI based , Supports Access Control policies and network security	Need to encrypt the data	PKI based
Scalability	Scalable, Performance depends on consensus algorithm and number of nodes.	Scalable, Performance depends on consensus algorithm and number of nodes.	Scalable, Performance depends on consensus algorithm and, block size and compute power.	Scalable.
Project type and maintainer	Open source and maintained by Intel	Open source and maintained by IBM	Open source	Open source maintained by JP Morgan

Comparison between Blockchain Platforms

Conclusion

While selecting the sector for adopting Blockchain technology, essential care needs to taken to assess its suitability for the sector. Several blockchain platforms are currently available with different features. Hence, the selection of suitable platform for an application requires detailed survey and testing. Identifying the best platform for different classes of application requires detailed study and evaluation.